	Application No.	Applicant(s)
A4 42	10/654,235	ROSEN, HOWARD
Notice of Allowability	Examiner	Art Unit
	Marc E. Norman	3744
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communications. This application is subjection.	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to application filed 9/3/0	<u>03</u> .	
2. The allowed claim(s) is/are <u>1-20</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority unalled a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> </ul>	•	).
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminification (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in t	he Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Inform	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summ Paper No./Mail	nary (PTO-413), I Date
3. Information Disclosure Statements (PTO/SB/08),	7. 🛭 Examiner's Am	endment/Comment
Paper No./Mail Date <u>9/3/03; 2/7/05</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stat	ement of Reasons for Allowance
of Biological Material	9.	
	•	

Application/Control Number: 10/654,235

Art Unit: 3744

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification section previously amended on 7 February 2005, the following changes have been made:

At line 3, "10/XXX,XXX" has been changed to -- 10/654,236, now United States Patent No. 6,786,421, --.

At line 7, "10/XXX,XXX" has been changed to -- 10/654,230 --.

## REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

As per independent claims 1, 9, and 11, the prior art does not teach the programmable thermostat system combinations as recited, and in particular the stored program features recited in section D, subsection 3 of each of these claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 571-272-4812. The examiner can normally be reached on Mon.-Fri., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MN

MARC NORMAN PRIMARY EXAMINER